Sigma-Aldrich.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 6.1 Revision Date 12.05.2020 Print Date 30.05.2020

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | | | |
|---|---|-----|--|
| 1.1 | Product identifiers Product name | : | Tributyltin chloride |
| | Product Number Brand Index-No. REACH No. CAS-No. | : : | T50202 Aldrich 050-008-00-3 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. 1461-22-9 |
| 1.2 | Relevant identified uses of the substance or mixture and uses advised against | | |
| | Identified uses | : | Laboratory chemicals, Manufacture of substances |
| 1.3 | 3 Details of the supplier of the safety data sheet | | |
| | Company | : | Sigma-Aldrich Company, LTD. The Old Brickyard NEW ROAD, GILLINGHAM , DORSET SP8 4XT UNITED KINGDOM |
| | Telephone Fax E-mail address | : | +44 (0)1747 833-000 +44 (0)1747 833-313 TechnicalService@merckgroup.com |
| 1.4 | Emergency telephone | nu | mber |
| | Emergency Phone # | : | +44 (0)870 8200418 (CHEMTREC) |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Skin sensitisation (Sub-category 1B), H317 Reproductive toxicity (Category 1B), H360FD Specific target organ toxicity - repeated exposure (Category 1), H372 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

Aldrich- T50202

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 9

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

| Labelling according Regulation (EC) No 1272/2008 Pictogram | | | | |
|---|--|--|--|--|
| Signal word | Danger | | | |
| Hazard statement(s) H301 H312 H315 H317 H319 H360FD H372 H410 | Toxic if swallowed. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. | | | |
| | | | | |
| Precautionary statement(s) P201 P273 P280 P301 + P310 + P330 | Obtain special instructions before use. Avoid release to the environment. Wear protective gloves/ protective clothing. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. | | | |
| P302 + P352 + P312 P305 + P351 + P338 | IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue | | | |
| Supplemental Hazard Statements | rinsing. none | | | |

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Synonyms | : TBTC | | |
|---------------------|--|--------------------------|---------------|
| | Tributylchlorotin | | |
| Formula | : C ₁₂ H ₂₇ ClSn | | |
| Molecular weight | : 325.51 g/mol | | |
| CAS-No. | : 1461-22-9 | | |
| EC-No. | : 215-958-7 | | |
| Index-No. | : 050-008-00-3 | | |
| Component | | Classification | Concentration |
| Tributyltin chlorid | e | | |
| | | Acute Tox. 3; Acute Tox. | <= 100 % |

Aldrich- T50202

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 9

| 4; Skin Irrit. 2; Eye Irrit. | |
|------------------------------|--|
| 2; Skin Sens. 1B; Repr. | |
| 1B; STOT RE 1; Aquatic | |
| Acute 1; Aquatic Chronic | |
| 1; H301, H312, H315, | |
| H319, H317, H360FD, | |
| H372, H400, H410 | |
| Concentration limits: | |
| >= 1 %: STOT RE 1, | |
| H372; 0.25 - < 1 %: STOT | |
| RE 2, H373; >= 1 %: Eye | |
| | |
| | |
| , , | |
| • | |
| _ | 2; Skin Sens. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H312, H315, H319, H317, H360FD, H372, H400, H410 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Hydrogen chloride gas, Tin/tin oxides Combustible.

Aldrich- T50202

Page 3 of 9

The life science business of Merck operates as MilliporeSigma in the US and Canada



5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
- **6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- **6.3 Methods and materials for containment and cleaning up** Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

7.2 Conditions for safe storage, including any inc

Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis | |
|-------------------------|-----------|---|--------------------|---|--|
| Tributyltin chloride | 1461-22-9 | TWA | 0.1 mg/m3 | UK. EH40 WEL - Workplace Exposure Limits | |
| | Remarks | Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. | | | |
| | | STEL | 0.2 mg/m3 | UK. EH40 WEL - Workplace Exposure Limits | |
| | | Can be absorbed through skin. The assigned substances ar those for which there are concerns that dermal absorption will lead to systemic toxicity. | | | |



Page 4 of 9

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: liquid |
|----|--|-------------------------------|
| b) | Odour | stinging |
| c) | Odour Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | Melting point: -9 °C |
| f) | Initial boiling point and boiling range | 171 - 173 °C at 33 hPa - lit. |
| g) | Flash point | 108 °C - closed cup |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, | Not applicable |
| | | |

Aldrich- T50202

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 9

use)

| 10.1 | | activity | |
|------|---|--|--|
| SECT | ION | I 10: Stability and re | activity |
| 9.2 | 2 Other safety information No data available | | |
| | t) | Oxidizing properties | No data available |
| | s) | Explosive properties | No data available |
| | r) | Viscosity | No data available |
| | q) | Decomposition temperature | 233 °C - |
| | p) | Auto-ignition temperature | No data available |
| | o) | Partition coefficient: n-octanol/water | log Pow: 2.21 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. |
| | n) | Water solubility | 0.0758 g/l at 20 °C - OECD Test Guideline 105 |
| | m) | Relative density | 1.2 g/cm3 at 25 °C - lit. |
| | I) | Vapour density | No data available |
| | k) | Vapour pressure | 0.00 hPa at 25 °C - OECD Test Guideline 104 |
| | j) | Upper/lower flammability or explosive limits | No data available |
| | | gas) | |

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

- 10.3 Possibility of hazardous reactions No data available
- **10.4** Conditions to avoid No data available
- **10.5** Incompatible materials No data available

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas, Tin/tin oxides Other decomposition products - No data available In the event of fire: see section 5



Page 6 of 9

The life science business of Merck operates as MilliporeSigma in the US and Canada

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 101 mg/kg (OECD Test Guideline 401)

Skin corrosion/irritation

Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating Remarks: (RTECS)

Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse Result: positive (OECD Test Guideline 429)

Germ cell mutagenicity

Ames test Escherichia coli/Salmonella typhimurium Result: negative OECD Test Guideline 474 Mouse - male - Bone marrow Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

Acute inhalation toxicity - Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, mucosal irritations

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Additional Information

RTECS: WH6820000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to organic tin compounds in general: systemic effect: CNS disorders (spasms, narcosis, respiratory paralysis). Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Danio rerio (zebra fish) - 0.0079 mg/l - 96 h

Aldrich- T50202

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 9

Toxicity to daphnia and other aquatic invertebrates

Biodegradability

static test EC50 - Daphnia magna (Water flea) - 0.0098 mg/l - 48 h (OECD Test Guideline 202)

12.2 Persistence and degradability

aerobic

Result: - Not readily biodegradable. (OECD Test Guideline 301F)

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information 14.1 UN number ADR/RID: 2788 IMDG: 2788 IATA: 2788 14.2 UN proper shipping name ADR/RID: ORGANOTIN COMPOUND, LIQUID, N.O.S. (Tributyltin chloride) IMDG: ORGANOTIN COMPOUND, LIQUID, N.O.S. (Tributyltin chloride) IATA: Organotin compound, liquid, n.o.s. (Tributyltin chloride) 14.3 Transport hazard class(es) ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1 14.4 Packaging group ADR/RID: III IMDG: III IATA: III 14.5 Environmental hazards ADR/RID: yes IMDG Marine pollutant: yes IATA: no 14.6 Special precautions for user No data available

Aldrich- T50202

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

| Authorisations and/or restrictions on use REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) | : |
|--|------------------------|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) | : Tributyltin chloride |

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

| H301 | Toxic if swallowed. |
|--------|--|
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H360FD | May damage fertility. May damage the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| | |

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- T50202



Page 9 of 9